IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



	Xplore
Help FAQ Terms	IEEE Peer Review Quick Links   Se
Welcome to IEEE Xplore*  - Home - What Can I Access? - Log-out  Tables of Contents	Your search matched 6 of 966109 documents.  A maximum of 6 results are displayed, 15 to a page, sorted by Relevance in descending order.  You may refine your search by editing the current search expression or entering a new one the text box.  Then click Search Again.  (name <near 2=""> match)  Search Again</near>
O- Journals & Magazines	Results:  Journal or Magazine = JNL   Conference = CNF   Standard = STD
O- Conference Proceedings O- Standards	1 Key equivalence in heterogeneous databases Pu, C.;
Search	Interoperability in Multidatabase Systems, 1991. IMS '91. Proceedings., First International Workshop on , 7-9 April 1991
O- By Author O- Basic O- Advanced	Page(s): 314 -316
Member Services	[Abstract] [PDF Full-Text (268 KB)] IEEE CNF
O- Join IEEE O- Establish IEEE Web Account	2 A post-processing method for handwritten Kanji name recognition us Furigana information Marukawa, K.; Koga, M.; Shima, Y.; Fujisawa, H.;
O- Access the IEEE Member Digital Library	Document Analysis and Recognition, 1993., Proceedings of the Second Internat Conference on , 20-22 Oct. 1993  Page(s): 218 -221
Control of the contro	[Abstract] [PDF Full-Text (300 KB)] IEEE CNF  3 A pattern matching approach to image compression  Atallah, M.J.; Szpankowski, W.; Genin, Y.;
	Image Processing, 1996. Proceedings., International Conference on , Volume:

### [Abstract] [PDF Full-Text (668 KB)] IEEE CNF

4 Pattern matching image compression

Atallah, M.; Genin, Y.; Szpankowski, W.;

19 Sept. 1996

Page(s): 349 -352 vol.2

IEEE Xplore Search Results

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Rember	ship rubiic	Tatious/yet.cee yrangs.gs canetancae catee.ty/hopa
		Xplore •
Help FA	AQ <u>Terms</u>	IEEE Peer Review Quick Links **
O- Hor O- Wh	o IEEE Xplore me at Can ccess? -out	Your search matched <b>20</b> of <b>966109</b> documents.  A maximum of <b>20</b> results are displayed, <b>25</b> to a page, sorted by <b>Relevance</b> in <b>descending</b> order.  You may refine your search by editing the current search expression or entering a new one the text box.  Then click <b>Search Again</b> .
Tables of	Contents	(name <near 2=""> proper)</near>
O- jei	ırnals Aagazines	Results: Journal or Magazine = JNL Conference = CNF Standard = STD
Pro	nference sceedings indards	1 Proper name pronunciations for speech technology applications  Spiegel, M.F.;
Search O- By O- Bas		Speech Synthesis, 2002. Proceedings of 2002 IEEE Workshop on , 11-13 Sept. Page(s): 175 -178
O- Adv	vanced	[Abstract] [PDF Full-Text (610 KB)] IEEE CNF
O-Est Wel	enica n IEEE ablish IEEE b Account cess the E Member	2 Improved retrieval of foreign names from large databases Oshika, B.T.; Evans, B.; Machi, F.; Tom, J.; Data Engineering, 1988. Proceedings. Fourth International Conference on , 1-5 1988 Page(s): 480 -487
Dig	ital Library (Format	
		[Abstract] [PDF Full-Text (464 KB)] IEEE CNF  3 Inference of letter-phoneme correspondences by delimiting and dyn time warping techniques  Luk, R.W.P.; Damper, R.I.;  Acoustics, Speech, and Signal Processing, 1992. ICASSP-92., 1992 IEEE Interr Conference on , Volume: 2 , 23-26 March 1992  Page(s): 61 -64 vol.2

[Abstract] [PDF Full-Text (336 KB)] IEEE CNF

4 Speaker-independent spelling recognition over the telephone

Jouvet, D.; Laine, A.; Monne, J.; Gagnoulet, C.;

Acoustics, Speech, and Signal Processing, 1993. ICASSP-93., 1993 IEEE Intern

US Patent & Trademark Office

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The Guide The ACM Digital Library

title:proper name match

## THE CUIDE TO COMPUTING LITERATURE

Feedback Report a problem Satisfaction survey

#### Terms used proper name match

Found 16,469 of 768,572

Sort results by

publication date ₩

Save results to a Binder

Search Tips

Try an <u>Advanced Search</u> Try this search in <u>The Digital Library</u>

Display expanded form esults

Results 181 - 200 of 200

Result page: previous 1 2 3 4 5 6 7 8 9 10

Best 200 shown

Relevance scale 🖵 🖵 🖼 🌃

# 181 Talking to UNIX in English: an overview of UC

Robert Wilensky, Yigal Arens, David Chin

June 1984 Communications of the ACM, Volume 27 Issue 6

Full text available: 📆 pdf(2,03 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u>

UC is a natural language help facility which advises users in using the UNIX operating system. Users can query UC about how to do things, command names and formats, online definitions of UNIX or general operating systems terminology, and debugging problems in using commands. UC is comprised of the following components: a language analyzer and generator, a context and memory model, an experimental common-sense planner, highly extensible knowledge bases on both the UNIX domain and the ...

**Keywords:** ellipsis, goal analysis, memory models, natural dialogue, reference disambiguation

#### 182 Syntax and evaluation

December 1983 ACM SIGAPL APL Quote Quad, Volume 14 Issue 2

Full text available: The pdf(1.15 MB)

Additional Information: full citation, abstract

This section specifies the rules for evaluating lines. These rules are used by the operations execute and quad input and by immediate-execution, and by defined-function-control. The rules are described as three procedures, evaluate-line, evaluate-statement, and reduce-statement. The data structures and procedures used to describe syntax and evaluation in this standard are strictly expository devices; they are not intended to represent required or desirable ...

# 183 Defined functions

December 1983 ACM SIGAPL APL Quote Quad, Volume 14 Issue 2

Full text available: pdf(631,48 KB) Additional Information: full citation, abstract

Algorithms written in APL are called defined functions. A defined function consists of a header line and zero or more body lines. The header line indicates the name and syntax class of the function and gives a list of names to be localised and, in the case of argument names, initialised. Each body line consists of an optional label followed by an APL line to be evaluated. Body lines are evaluated in the order in which they occur in the defined function unless a statement beginning with a right a ...

n me